

# MaraX3

Brushed stainless steel



## TECHNICAL FEATURES

L58E group compatible with LELIT58 barista tools

Patented double probe HX System with thermosyphon circulation

Silent pump

Temperature configuration button (Warm - Hot - Extra Hot)

Mode setting button (Xmode coffee or Xmode steam)

Stand-by function

New flow control system: Pagaia.

ON/OFF stainless-steel back-lit switch

Active "Reserve mode"

Double manometer for pump/steam pressure

Brushed stainless steel appliance body

Smoked oak wood knobs, lever, Pagaia and high-feet with new gem-shaped design

Polished stainless steel side ribbon

Anti-burn multidirectional steam with 3 holes nozzle and hot water wands

Professional water-steam taps with spring closure

Steam boost

Machine ready and/or warming-up LED

Lack of water in the tank or no-tank LED

Cup warmer rack and new design drip tray with wire grate

Mug friendly

## Where craft and design converge

Take control. Shape the flow.

MaraX3 is the coffee machine that gives you full control over extraction, from the pump to the L58E group, thanks to Pagaia.

A new visual design language, premium wood finishes, and iconic details come together to create the new LELIT coffee experience.



## PAGAIA

Pagaia is LELIT's patented electronic flow control system, engineered to deliver uncompromising precision and full extraction customization in every cup. Featuring an ergonomic lever and refined Italian craftsmanship, Pagaia combines performance and control, transforming every brew into a truly powerful coffee experience.

**Boiler:** 1.8 l with AISI316L stainless steel heat-exchanger

**Water tank:** 2.5 l

**Dimensions LxDxH:** 25.5x53.5x38.5 cm

**Weight:** 18.30 kg

## DELIVERED WITH

LELIT58 2-way portafilter with Coffee Slide spout and smoked oak, gem-shaped wooden handle

LELIT58 filters developed in collaboration with IMS (1 dose 9–11 g, 2 doses 14–18 g, 2 doses 18–21 g, plus blind filter)

LELIT58 tamper with smoked oak, gem-shaped wooden handle

Cup rack

70 L water softener filter

Initial cleaning kit

Nylon-bristle brush

L58E group gasket

**PL62X3-2Q82**

220-240V 50 Hz | Plug Type E+F

# MaraX3

Black color



## TECHNICAL FEATURES

L58E group compatible with LELIT58 barista tools

Patented double probe HX System with thermosyphon circulation

Silent pump

Temperature configuration button (Warm - Hot - Extra Hot)

Mode setting button (Xmode coffee or Xmode steam)

Stand-by function

New flow control system: Pagaia.

ON/OFF stainless-steel back-lit switch

Active "Reserve mode"

Double manometer for pump/steam pressure

Black appliance body with texture finish

Zebrano wood knobs, lever, Pagaia and high-feet with new gem-shaped design

Polished stainless steel side ribbon

Anti-burn multidirectional steam with 3 holes nozzle and hot water wands

Professional water-steam taps with spring closure

Steam boost

Machine ready and/or warming-up LED

Lack of water in the tank or no-tank LED

Cup warmer rack and new design drip tray with wire grate

Mug friendly

## Where craft and design converge

Take control. Shape the flow.

MaraX3 is the coffee machine that gives you full control over extraction, from the pump to the L58E group, thanks to Pagaia.

A new visual design language, premium wood finishes, and iconic details come together to create the new LELIT coffee experience.



## PAGAIA

Pagaia is LELIT's patented electronic flow control system, engineered to deliver uncompromising precision and full extraction customization in every cup. Featuring an ergonomic lever and refined Italian craftsmanship, Pagaia combines performance and control, transforming every brew into a truly powerful coffee experience.

---

**Boiler:** 1.8 l with AISI316L stainless steel heat-exchanger

**Water tank:** 2.5 l

**Dimensions LxDxH:** 25.5x53.5x38.5 cm

**Weight:** 18.30 kg

---

## DELIVERED WITH

LELIT58 2-way portafilter with Coffee Slide spout and Zebrano wood, gem-shaped handle

LELIT58 filters developed in collaboration with IMS (1 dose 9–11 g, 2 doses 14–18 g, 2 doses 18–21 g, plus blind filter)

LELIT58 tamper with Zebrano wood, gem-shaped handle

Cup rack

70 L water softener filter

Initial cleaning kit

Nylon-bristle brush

L58E group gasket

---

PL62X3-2Q20

220-240V 50 Hz | Plug Type E+F

# MaraX3

White color



## TECHNICAL FEATURES

L58E group compatible with LELIT58 barista tools

Patented double probe HX System with thermosyphon circulation

Silent pump

Temperature configuration button (Warm - Hot - Extra Hot)

Mode setting button (Xmode coffee or Xmode steam)

Stand-by function

New flow control system: Pagaia.

ON/OFF stainless-steel back-lit switch

Active "Reserve mode"

Double manometer for pump/steam pressure

White appliance body with texture finish

Zebrano wood knobs, lever, Pagaia and high-feet with new gem-shaped design

Polished stainless steel side ribbon

Anti-burn multidirectional steam with 3 holes nozzle and hot water wands

Professional water-steam taps with spring closure

Steam boost

Machine ready and/or warming-up LED

Lack of water in the tank or no-tank LED

Cup warmer rack and new design drip tray with wire grate

Mug friendly

## Where craft and design converge

Take control. Shape the flow.

MaraX3 is the coffee machine that gives you full control over extraction, from the pump to the L58E group, thanks to Pagaia.

A new visual design language, premium wood finishes, and iconic details come together to create the new LELIT coffee experience.



## PAGAIA

Pagaia is LELIT's patented electronic flow control system, engineered to deliver uncompromising precision and full extraction customization in every cup. Featuring an ergonomic lever and refined Italian craftsmanship, Pagaia combines performance and control, transforming every brew into a truly powerful coffee experience.

---

**Boiler:** 1.8 l with AISI316L stainless steel heat-exchanger

**Water tank:** 2.5 l

**Dimensions LxDxH:** 25.5x53.5x38.5 cm

**Weight:** 18.30 kg

---

## DELIVERED WITH

LELIT58 2-way portafilter with Coffee Slide spout and Zebrano wood, gem-shaped handle

LELIT58 filters developed in collaboration with IMS (1 dose 9–11 g, 2 doses 14–18 g, 2 doses 18–21 g, plus blind filter)

LELIT58 tamper with Zebrano wood, gem-shaped handle

Cup rack

70 L water softener filter

Initial cleaning kit

Nylon-bristle brush

L58E group gasket

---

**PL62X3-2Q40**

220-240V 50 Hz | Plug Type E+F